
Myeloid Malignancies: The Journey from Basic Molecular Biology to Clinical Application


Daniel R. Larson

Head, Systems Biology of Gene Expression
Laboratory of Receptor Biology and Gene Expression
Co-Director, Myeloid Malignancies Program
Center for Cancer Research, NCI

MYELODYSPLASTIC SYNDROMES (MDS)

- Clonal hematopoietic stem cell disease
 - myeloid malignancy [WHO 9980/3]
- Ineffective, **dysplastic hematopoiesis** with **<20% blasts** in bone marrow resulting in:
 - Anemia, and/or Thrombocytopenia, and/orNeutropenia
- Transforming potential to secondary acute myelogenous leukemia (sAML)
- **Prevalence**: 10-20% therapy-related, 80-90% de novo, 30,000 cases per year US.
- Increased recognition of germline predisposition particularly for pediatric and younger adult patients.






BM morphology courtesy of Dr. Katherine Calvo

MDS PROGNOSIS AND THERAPY

- > 1/3 die of pancytopenia
- > 1/3 transform to AML
- > 1/3 die of unrelated causes
- Genetics drives the disease
 - del 5q survival >7 yrs
 - TP53 mutations <1 yr

Supportive Care

Erythroid Stimulating Agents (ESA)
Hypomethylating Agents (HMA)
Lenalidomide
Luspatercept



Steensma DP. **Leuk Lymphoma**. 2016;57(1):17-20.

^{*}Allogeneic Hematopoietic Stem Cell Transplant (HSCT)

BARRIERS TO PROGRESS

- Limited understanding of disease biology and dearth of animal and cellular models - no cell lines, no robust xenografts.
- No developed methods and definitions of measurable residual disease to guide therapies.
- Many patients are elderly with comorbidities.

Why study MDS at the NIH intramural program?

- Recalcitrant cancer, rare disease, lack of progress in therapy over the last 15 years.
- Unique disease model to study *in situ* evolution of cancer from inflammation, genetic defects to manifest disease.
- Science waiting to be translated from the intramural program.
- Subacute clinical course suitable for outpatient management.
- Opportunity to study MDS in a coordinated, multi-institute approach across protocols and in both children and adults.
- Nucleate activity in both intramural and extramural communities, convene the broader MDS scientific community, mobilize resources for trials, biomarker development, preclinical models.
- Opportunity to study natural history of inherited leukemia (RUNX1, GATA2) help inform timing of HSCT.

NIH Myeloid Malignancies Program

<u>Mission</u> -- to develop a comprehensive program aimed at understanding and treating myeloid malignancies in children and adults.

<u>Vision</u> -- to successfully control, cure, and ultimately prevent MDS and AML.

History

2018: exploratory seminar series

2019: organizational planning and establishment of milestones

2020: MMP established as a program in 2020

2021 – present: recruitment of staff

Theme 1: Post-transcriptional regulation in MDS/AML.

Theme 2: Germline predispositions to myeloid malignancy.

Theme 3: Pre-clinical models to study MDS biology and therapy.

Theme 4: Role of the immune system in control of MDS/AML.

NIH Myeloid Malignancies Program



Center for Cancer Research

Clinical Director



Steven Pavletic, MD, (NCI-CCR/ID-CTP)

Steering Committee



<u>Dan Larson, PhD,</u> co-chair (NCI-CCR/LRBGE)



<u>Christopher Hourigan</u>, MD, PhD, co-chair (NHLBI)



<u>Lea Cunningham, MD</u> (NHGRI, NCI-CCR/ID-CTP)



Nirali Shah, MD, MHSc (NCI-CCR/POB)



Peter Aplan, MD
(NCI-CCR/GB)



Kathy McGraw, PhD
(NCI-CCR/LRBGE)



Katherine Calvo, MD, PhD
(NIH/CC/DLM)

Kenneth Aldape, MD (NCI-CCR/LP) Danielle Arnold, MD (NCI-CCR/ID-CTP) Raul Braylan, MD (NIH/CC) Alice Chen, MD (NCI/DCTD) Laura Dillion, PhD (NIH/NHLBI) James Doroshow, MD (NCI/DCTD) Grace-Ann Fasaye, ScM (NCI-CCR/GB) Courtney Fitzhugh, MD (NIH/NHLBI) Michael Gottesman, MD (NCI-CCR/LCB) Emma Groarke, MD (NIH/NHLBI) Dennis Hickstein, MD (NCI-CCR/ID-CTP) Noa Holtzman, MD (NCI-CCR/ID-CTP) Christopher Kanakry, MD (NCI-CCR/ETIB) Rosandra Kaplan, MD (NCI-CCR/POB) Nina Kim, MD (NCI-CCR/ID-CTP) Jacqui Klicka-Skeels, MD (NCI-CCR/POB) Vid Leko, MD (NCI-CCR/SB) Rich Little, MD (NCI/DCTD)

Paul Liu, PhD (NHGRI)
Lisa McReynolds, MD, PhD (NCI/DCEG)
Lindsay Morton, PhD (NCI/DCEG)

Shalini Oberdoerffer, PhD (NCI-CCR/LRBGE)
Geraldine O'Sullivan, MD, PhD (NCI/DCTD)

Bhavisha Patel, MD (NIH/NHLBI)

Eduard Schulz, MD (NIH/NCI)

John Shern, MD (NCI-CCR/POB)

Naoko Takebe, MD, PhD (NCI/DCTD)

Anupam Verma, MD, FAAP (NCI/POB)

Lori Wiener, PhD, DCSW, LCSW-C (NCI-CCR/POB)

Somatic Mutations in Myelodysplasia

DNA methylation	Chromatin / Transcription	Splicing/ RNA processing	<u>Translation</u>	Tumor Suppressors	Signaling
DNMT3A TET2 IDH1	ASXL1 BCOR BCORL1	SRSF2 U2AF1 SF3B1	?	TP53 PHF6	FLT3-ITD FLT3-TKD NRAS
IDH2 WT1	EZH2 KDM6A KMT2A	ZRSR2			KRAS PTPN11 CBL
Cohesin / CTCF	DHX29	- MDS is a disease of	abnormal myeloid	d differentiation.	JAK2 NF1
STAG2 SMC1A	RUNX1 - AN NPM1 CEBPA -		•	entiation + proliferation.	CSF3R
SMC3 RAD21 CTCF	ETV6 GATA2	Splicing factor mutatio	ns account for ~ 5	0% of MDS patients.	

Theme 1: Post-transcriptional regulation in MDS/AML.

The spliceosome is...

... a ribonucleoprotein complex composed of > 200 proteins and RNA.

... responsible for generating mRNA which is translated into protein.

... a single-turnover enzyme.


... frequently mutated in myeloid malignancies (MDS, AML).




Spliceosome mutations: bench to bedside to bench


One target:

interleukin 8



Development of cuttingedge approaches for understanding splicing. U2AF1 has a noncanonical role in translation regulation.






Bristol-Myers Squibb Humax IL-8

Approval for pre-clinical studies: Oct, 2019


Approval for clinical trial at NIH: June, 2020

FDA IND: September, 2021

Blocking IL-8 reduces tumor burden in a xenograft model.



Relapsed/
refractory AML patients:
> 30% with splicing factor
mutations and also show
high levels of IL-8.



Theme 2: Germline predispositions to myeloid malignancy.

Natural History and Biospecimen Acquisition Protocol for Myelodysplastic Syndromes, Pl McGraw, CCR, NCI


CHIP/CCUS Natural History Protocol,
PI Groarke, NHLBI

Allogeneic HSCT for GATA2 Deficiency, PI Arnold, CCR, NCI

Longitudinal Studies of patients with FPDMM & Germline RUNX1 mutations, PI Liu, NHGRI

Phase Ib Study of Imatinib to Increase RUNX1 Activity in Patients with Germline RUNX1 Deficiency, PI Cunningham CCR, NCI

Familial platelet disorder with associated myeloid malignancy (FPDMM)




Hypothesis:

Simon, Blood, 2020.

Imatinib can **enhance WT RUNX1** protein activity in RUNX1 deficiency patients potentially improving megakaryocyte dysplasia, thrombocytopenia, platelet dysfunction and auto- inflammatory components of this disorder as compared to NIH RUNX1 natural history data.

This mechanism may also decrease the acquisition of secondary somatic mutations and slow or prevent the development of MDS/AML in affected individuals.



Bellissimo, Front Cell Dev Biol. 2017


Theme 3: Pre-clinical models to study MDS biology and therapy.


Vav 5' reg
NUP98-HOXD13 (NHD13) fusion
Vav 3' reg

vavNHD13 mice develop MDS:

- Cytopenia
- Transformation to AML
- Widely distributed, >20 academic labs
- Four commercial licensees.
- Used to provide pre-clinical evidence for development of luspatercept (only new FDA approval for MDS in past 15 years).

	WBC	Neutrophil	Hb
	(10 ⁹ /L)	(10 ⁹ /L)	(g/dL)
<i>NHD13</i> (n = 22)	1.8	0.44	11.9
Control (n = 7)	6.5	1.4	14.2
p value	<0.001	<0.001	<0.001






multinucleate erythroblasts

AML blasts

Theme 4: Role of the immune system in control of MDS/AML.

First in human, first in child: CD33 CAR T-cell:

- Preclinical data demonstrate therapeutic potential of targeting CD123 and CD33.
- Majority of childhood AML expresses CD123 and/or CD33.
- CD33 is perhaps a 'less risky' first CAR T cell target given clinical experience with GO.
- Bright CD33 expression in many highest-risk patients.



Theme 4: Role of the immune system in control of MDS/AML.

Clinical Trial IND:


Pediatric Blood and Marrow Transplant Consortium (PBMTC)
with Resource for Clinical Investigation in Blood and Marrow Transplantation (RCI BMT)
Center for International Blood and Marrow Transplant Research/ National Marrow Donor
Program (CIBMTR / NMDP)

IND coordination:

Hati Kobusingye, MS (NMDP)

Clinical Trial Service Leads:

Erin Leckrone, MD (RCI BMT) Steve Devine, MD (RCI BMT)



NIH Myeloid Malignancies Program: Present and Future


- Formation of an MDS/AML clinic as a site for studying the disease presentation, biology, develop assessment tools and pursue enrollment on clinical therapy protocols.
- Recruitment of a clinical/translational team:
 - Physician scientists, clinical research fellows, staff clinicians, research nurses.
- Development of clinical trials:
 - Phase 1/2 Study of Anti-CD33 Chimeric Antigen Receptor-Expressing T Cells (CD33CART) in Children and Young Adults with Relapsed/Refractory Acute Myeloid Leukemia (NCT03971799)
 - Natural History and Biospecimen Acquisition for Myelodysplastic Syndromes (NCT05350748)
 - A Phase I/II Trial of BMS-986253 in Myelodysplastic Syndromes (NCT05148234)
- Increasing involvement of basic scientists:
 - Recruitment of basic science investigators through the intramural Stadtman process.
 - Engaging existing investigators from relevant fields.

NIH Myeloid Malignancies Program: Present and Future

CD123xCD3 BiTE-secreting T cells First-in-class

Secretion of bispecific T-cell engager (BiTE) allows for localized, controlled target killing with T cells potentially infused at a lower dose.

Preservation of endogenous T-cell activation biology may have advantages in maintenance of cell persistence and homeostasis.



Bonifant (JHU), Holtzman, Shah, Pavletic











CDRH

Chris Trindade

CDER

Nicole Gormley Angelo de Claro

Emily Jen Donna Przepiorka



MRD in AML

Project

Advancing opportunities for patients with acute myeloid leukemia





Pharmaceutical Industry Partners















Plus others hoping to join...













Thermo Fisher













NIH Myeloid Malignancies Program



Center for Cancer Research

Clinical Director



Steven Pavletic, MD, (NCI-CCR/ID-CTP)

Steering Committee



<u>Dan Larson, PhD,</u> co-chair (NCI-CCR/LRBGE)



<u>Christopher Hourigan</u>, MD, PhD, co-chair (NHLBI)



<u>Lea Cunningham, MD</u> (NHGRI, NCI-CCR/ID-CTP)



Nirali Shah, MD, MHSc (NCI-CCR/POB)



Peter Aplan, MD
(NCI-CCR/GB)



Kathy McGraw, PhD
(NCI-CCR/LRBGE)



Katherine Calvo, MD, PhD
(NIH/CC/DLM)

Kenneth Aldape, MD (NCI-CCR/LP)
Danielle Arnold, MD (NCI-CCR/ID-CTP)
Raul Braylan, MD (NIH/CC)
Alice Chen, MD (NCI/DCTD)
Laura Dillion, PhD (NIH/NHLBI)
James Doroshow, MD (NCI/DCTD)
Grace-Ann Fasaye, ScM (NCI-CCR/GB)
Courtney Fitzhugh, MD (NIH/NHLBI)
Michael Gottesman, MD (NCI-CCR/LCB)
Emma Groarke, MD (NIH/NHLBI)
Dennis Hickstein, MD (NCI-CCR/ID-CTP)
Noa Holtzman, MD (NCI-CCR/ID-CTP)
Christopher Kanakry, MD (NCI-CCR/POB)
Nina Kim, MD (NCI-CCR/ID-CTP)

Jacqui Klicka-Skeels, MD (NCI-CCR/POB)
Vid Leko, MD (NCI-CCR/SB)
Rich Little, MD (NCI/DCTD)
Paul Liu, PhD (NHGRI)

<u>Lisa McReynolds, MD, PhD</u> (NCI/DCEG) Lindsay Morton, PhD (NCI/DCEG)

Shalini Oberdoerffer, PhD (NCI-CCR/LRBGE)

Geraldine O'Sullivan, MD, PhD (NCI/DCTD)

Bhavisha Patel, MD (NIH/NHLBI)

Eduard Schulz, MD (NIH/NCI)

John Shern, MD (NCI-CCR/POB)

Naoko Takebe, MD, PhD (NCI/DCTD)

Anupam Verma, MD, FAAP (NCI/POB)

Lori Wiener, PhD, DCSW, LCSW-C (NCI-CCR/POB)